43. (Amended) The further PH4GP-derived maize plants, or parts thereof, produced by the method of claim 42.

48. (Amended) The single gene conversion maize plant of claim 47, wherein the gene is a dominant allele.

49. (Amended) The single gene conversion maize plant of claim 47, wherein the gene is a recessive allele.

## **REMARKS**

The Examiner states that, "Claims 3 and 22 are indefinite in their recitation of 'wherein the plant is male sterile' ..... Replacement of the phrase with --further comprising a genetic factor conferring male sterility-- would obviate this rejection." Claims 3 and 22 have been so amended and thus claims 3 and 22 are now in condition for allowance.

The Examiner states that, "Claims 5 and 24 are indefinite in their recitation of the 'the protoplasts' which lacks antecedent basis in the claims from which they depend. Deletion of 'the' before 'cells' in line 1, and insertion of --of the tissue culture-- after 'protoplasts' in line 1, would obviate this rejection." Claims 5 and 24 have been amended as suggested and are now in condition for allowance.

The Examiner states that, "Claims 14, 33, 41, 45 and 46 are indefinite in their recitation of 'good', 'hard', 'above average, 'excellent' and 'adapted' which are unduly narrative and so fail to clearly characterize the degree of expression of the claimed trait or the claimed maize plant exhibiting the trait." Claims 14 and 41 have been amended

and no longer include such terms as "good", "hard", "above average", "excellent" and "adapted". Claims 33, 45, and 46 have been cancelled.

The Examiner states that, "Claims 16 and 35 are indefinite in their recitation of '[t]he maize plant breeding program' since the claims from which they depend are drawn to methods rather than breeding programs. Replacement of the phrase with '[t]he method' would obviate this rejection." Claims 16 and 35 has been so amended and therefore are in condition for allowance.

The Examiner states that, "Claims 19-20 and 48-49 are indefinite in their recitation of '[t]he single gene conversion(s) of claim' since the preceding claims are drawn to maize plants rather than single gene conversions. Replacement of 'conversion(s)' with --conversion--, and insertion of --maize plant — after 'conversion', would obviate this rejection." Claims 19-20 and 48-49 have been amended as suggested by the Examiner and therefore the claims are in condition for allowance.

The Examiner states that, "Claims 14, 33, 43, and 45-46 are rejected under 35 U.S.C. 102(b) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Dowden (U.S. 5,880,339)." The Examiner goes on to state, "The claims are drawn to maize plants exhibiting two traits and which are derived from the exemplified maize inbred following an unspecified number of crosses for an unspecified number of generations with other plants of unspecified genetic complements, wherein at least one parent was the exemplified maize plant." Claims 33, 45, and 46 have been cancelled. Claims 14, 42, and 43 have been amended, and now each claim clearly has a limit on the number of crosses away from PH4GP. Claim 14 has been amended and now reads, "An inbred maize plant, or parts thereof, wherein said inbred maize plant was developed by a cross of the maize plant of claim 2 with a second maize plant, growing a progeny seed obtained from said cross, and repeating the steps of selfing and growing each subsequent generation to obtain said inbred maize plant." Claim 14 is limited to an inbred maize plant one cross away from PH4GP. Support for this amendment can be found in the specification, for example, on page 3, line 31 through page 4, line 5. Claim 42 has been amended to read, "The method of claim 40, further comprising: (c) crossing said PH4GP-derived maize plant with itself to yield additional PH4GP-derived progeny maize seed; (d) growing said progeny maize seed of step (c) under plant growth conditions, to yield additional PH4GP-derived maize plants; (e) repeating the crossing and growing steps of (c) and (d) to generate further PH4GP-derived maize plants." Claim 43 now through dependency is limited to one cross away from PH4GP. For \$N:09/758,713

clarification, claim 43 has been amended to read, "The further PH4GP-derived maize plants, or parts thereof, produced by the method of claim 42."

The Examiner goes on to state that "...In re Thorpe, 227 USPQ 964, 966 (Fed. Cir. 1985), which teaches that a product-by-process claim may be properly rejectable over prior art teaching the same product by a different process, if the process of making the product fails to distinguish the two products." The Applicant points out that while the processes of breeding, cross-pollinating, growing, and self-pollinating are not unique processes, the use of the unique invention PH4GP in the processes makes the processes and the products resulting from those processes unique. The requirement of claims 14 and 43 is that PH4GP is used, thus making the processes and their resulting products unique. In light of the amendments and remarks the Applicant requests that the Examiner reconsider his rejection and allow claims 14 and 43.

Examiner rejects claims 1-49 under 35 U.S.C. 103(a) as being unpatentable over Dowden (U.S. 5,880,339).

Examiner states, "Dowden teaches an inbred Dent maize plant with yellow endosperm, dark green leaves, pink anther, green glume, green-yellow silk, pendant ear, and curved row direction (see e.g., Table 4, columns 16-17), ..." Applicant would like to bring to the Examiner's attention that the traits listed are those of inbred F361.

The following table notes some of the differences between inbred maize line PH4GP and the maize line F361 and SNBK. This information can be found in Table 1 on pages 18-20 and Tables 2A-2B on pages 38-39 of the specification; and in Tables 1, 2, and 3 of the Dowden patent, 5,880,339.

| PH4GP                       | F361                      | SNBK                        |
|-----------------------------|---------------------------|-----------------------------|
| 1,344 heat units from       | 1,693 to 1,707 heat units | 1,818 heat units from       |
| emergence to 50% plants in  | from emergence to 50%     | emergence to 50% plants in  |
| silk                        | plants in silk            | silk                        |
| 1,394 heat units from       | 1,662 to 1,678 heat units | 1,713 heat units from       |
| emergence to 50% plants in  | from emergence to 50%     | emergence to 50% plants in  |
| pollen                      | plants in pollen          | pollen                      |
| 86-87 inches = plant height | 74-75 inches = plant      | 78 inches = plant height    |
|                             | height                    |                             |
| 2 = tassel branch number    | 7.2 = tassel branch       | 13.5 = tassel branch number |
|                             | number                    |                             |
| 52.2 cm = tassel length     | 48.8 cm = tassel length   | 45.4 cm = tassel length     |
| Leaf color is dark green    | Leaf color is dark green  | Leaf color is medium green  |
| Anther color is red         | Anther color is pink      | Anther color is red         |



| Glume color is light green     | Glume color is green       | Glume color is green      |
|--------------------------------|----------------------------|---------------------------|
| Silk color is pink             | Silk color is green yellow | Silk color is pink        |
| Fresh husk color is dark green | Fresh husk color is green  | Fresh husk color is green |
| 17 cm = ear length             | 12.4 cm = ear length       | 14.3 cm = ear length      |
| 300 gm = weight per 1,000      | 257 gm = weight per        | 243 gm = weight per 1,000 |
| kernels                        | 1,000 kemels               | kernels                   |

The Applicant respectfully disagrees with the Examiner. Applicant submits that though PH4GP and SNBK exhibit some similar physiological and morphological traits, PH4GP is clearly differentiated from F361 and SNBK. One would not be able to obtain PH4GP through modification of the maize inbred taught by Dowden because PH4GP comprises a unique and nonobvious combination of genetics. Further, plants derived from PH4GP are also clearly differentiated, and are themselves a unique and nonobvious combination of genetics derived from PH4GP. Thus, they deserve to be considered new and nonobvious compositions in their own right.

In light of the above, Applicant respectfully requests the Examiner reconsider and withdraw the rejection to claims 1-49 under 35 U.S.C. 103(a).

Cancellation of claims 33, 45, and 46 and amendment of claims 1, 3, 5, 6, 14, 16, 19, 20, 21, 22, 24, 25, 35, 37, 40, 41, 42, 43, 48, and 49 does not in any way change the claim scope which the Applicant believes is allowable but is meant to hasten the issuance of the patent.

SN:09/758.713

#### CONCLUSION

Attached hereto is a marked-up version of the changes made to the specification and claims by current amendment. The attached page is captioned "<u>VERSION WITH</u> <u>MARKINGS TO SHOW CHANGES MADE</u>".

Applicant submits that in light of the foregoing amendments and the remarks, the claims 1-32, 34-44, and 47-49 are in condition for allowance. Reconsideration and early notice of allowability is respectfully requested. If it is felt that it would aid in prosecution, the Examiner is invited to contact the undersigned at the number indicated to discuss any outstanding issues.

Respectfully submitted, Loren John Hoffbeck

Steven Callistein Reg. No. 43,525 Attorney for Applicant

Steven Callistein Pioneer Hi-Bred International 7100 NW 62<sup>nd</sup> Avenue P.O. Box 1000 Johnston, IA 50131-1000 (515)-254-2823 (515) 334-6883 FAX

## VERSION WITH MARKINGS TO SHOW CHANGES MADE

### In the specification

On page 45, lines 2-21 have been deleted and the clean paragraph as written was inserted.

### In the claims

Claims 33, 45, and 46 were deleted.

Claims 1, 3, 5, 6, 14, 16, 19, 20, 21, 22, 24, 25, 35, 37, 40, 41, 42, 43, 48, and 49 were amended as follows:

- 1. (Amended) Seed of maize inbred line designated PH4GP, representative seed of said line having been deposited under ATCC Accession No. [\_\_\_\_\_] <u>PTA-4430</u>.
- 3. (Amended) The maize plant of claim 2 [, wherein said plant is male sterile] <u>further</u> comprising a genetic factor <u>conferring male sterility</u>.
- 5. (Amended) A tissue culture according to claim 4, [the] cells or protoplasts of the tissue culture being from a tissue selected from the group consisting of leaves, pollen, embryos, roots, root tips, anthers, silks, flowers, kernels, ears, cobs, husks, and stalks.
- 6. (Amended) A maize plant regenerated from the tissue culture of claim 4, capable of expressing all the morphological and physiological characteristics of inbred line PH4GP, representative seed of which have been deposited under ATCC Accession No. [\_\_\_\_] PTA-4430.
- 14. (Amended) [A] An inbred maize plant, or parts thereof, wherein [at least one ancestor of said maize plant is] said inbred maize plant was developed by a cross of the maize plant of claim 2[, said maize plant expressing a combination of at least two PH4GP traits selected from the group consisting of: a relative maturity of approximately 108 based on the Comparative Relative Maturity Rating System for harvest moisture of grain, good yield, hard grain texture, good kernel size, above average test weight of grain, good cold test results, good stand establishment, excellent stalk lodging resistance, good root lodging resistance, above average resistance to Northern Leaf Blight, above average resistance to Gray Leaf Spot, above average resistance to

Southern Leaf Blight, above average resistance to Anthracnose Stalk Rot, above average resistance to Head Smut, above average resistance to Fusarium Ear Rot, adapted to the Northwest, Northcentral and Northeast regions of the United States] with a second maize plant, growing a progeny seed obtained from said cross, and repeating the steps of selfing and growing each subsequent generation to obtain said inbred maize plant.

- 16. (Amended) The [maize plant breeding program] <u>method</u> of claim 15 wherein plant breeding techniques are selected from the group consisting of: recurrent selection, backcrossing, pedigree breeding, restriction fragment length polymorphism enhanced selection, genetic marker enhanced selection, and transformation.
- 19. (Amended) The single gene [conversion(s)] <u>conversion maize plant</u> of claim 18, wherein the gene is a dominant allele.
- 20. (Amended) The single gene [conversion(s)] <u>conversion maize plant</u> of claim 18, wherein the gene is a recessive allele.
- 21. (Amended) A maize plant, or parts thereof, having all the physiological and morphological characteristics of inbred line PH4GP, representative seed of said line having been deposited under ATCC accession No. [\_\_\_\_\_\_] PTA-4430.
- 22. (Amended) The maize plant of claim 21 [, wherein said plant is male sterile] <u>further comprising a genetic factor conferring male sterility</u>.
- 24. (Amended) A tissue culture according to claim 23, [the] cells or protoplasts of the tissue culture being from a tissue selected from the group consisting of leaves, pollen, embryos, roots, root tips, anthers, silks, flowers, kernels, ears, cobs, husks, and stalks.
- 25. (Amended) A maize plant regenerated from the tissue culture of claim 23, capable of expressing all the morphological and physiological characteristics of inbred line PH4GP, representative seed of which have been deposited under ATCC Accession No. [\_\_\_\_\_] PTA-4430.

35. (Amended) The [maize plant breeding program] method of claim 34 wherein plant breeding techniques are selected from the group consisting of: recurrent selection, backcrossing, pedigree breeding, restriction fragment length polymorphism enhanced selection, genetic marker enhanced selection, and transformation.

| 37. (Amended) A process for producing inbred PH4G | P, representative seed of which |
|---|---------------------------------|
| have been deposited under ATCC Accession No. [    | 1 PTA – 4430, comprising:       |

- (a) planting a collection of seed comprising seed of a hybrid, one of whose parents is inbred PH4GP said collection also comprising seed of said inbred;
- (b) growing plants from said collection of seed;
- (c) identifying said inbred PH4GP plants;
- (d) selecting said inbred PH4GP plant; and
- (e) controlling pollination in a manner which preserves the homozygosity of said inbred PH4GP plant.
- 40. (Amended) A method for producing a PH4GP-derived maize plant, comprising:
  - (a) crossing inbred maize line PH4GP, representative seed of said line
    having been deposited under ATCC Accession No. [ \_\_\_\_\_ ] <u>PTA 4430</u>,
    with a second maize plant to yield progeny maize seed;
  - (b) growing said progeny maize seed, under plant growth conditions, to yield said PH4GP-derived maize plant.
- 41. (Amended) A PH4GP-derived maize plant, or parts thereof, produced by the method of claim 40 [, said PH4GP-derived maize plant expressing a combination of at least two PH4GP traits selected from the group consisting of : a relative maturity of approximately 108 based on the Comparative Relative Maturity Rating System for harvest moisture of grain, good yield, hard grain texture, good kernel size, above average test weight of grain, good cold test results, good stand establishment, excellent stalk lodging resistance, good root lodging resistance, above average resistance to Northern Leaf Blight, above average resistance to Gray Leaf Spot, above average resistance to Southern Leaf Blight, above average resistance to Anthracnose Stalk Rot, above average resistance to Head Smut, above average resistance to Fusarium Ear Rot, adapted to the Northwest, Northcentral and Northeast regions of the United States].

SN:09/758.713

- 42. (Amended) The method of claim 40, further comprising:
  - (c) crossing said PH4GP-derived maize plant with itself [or another maize plant] to yield additional PH4GP-derived progeny maize seed;
  - (d) growing said progeny maize seed of step (c) under plant growth conditions, to yield additional PH4GP-derived maize plants;
  - (e) repeating the crossing and growing steps of (c) and (d) [from 0 to 5 times] to generate further PH4GP-derived maize plants.
- 43. (Amended) [A] <u>The</u> further [derived maize plant] <u>PH4GP-derived maize plants</u>, or parts thereof, produced by the method of claim 42.
- 48. (Amended) The single gene [conversion(s)] <u>conversion maize plant</u> of claim 47, wherein the gene is a dominant allele.
- 49. (Amended) The single gene [conversion(s)] <u>conversion maize plant</u> of claim 47, wherein the gene is a recessive allele.

1327

# **ATCC**

10801 University Blvd • Manassas, VA 20110-2209 • Telephone: 703-365-2700 • FAX: 703-365-2745

The American Type Culture Collection (ATCC) has received your deposit of seeds in connection with the filing of an application for patent. The following information is provided to fulfill Patent Office requirements.

Name and Address of Depositor:

Pioneer Hi-Bred International, Inc.

Attn: Kim M. Hagemann 7100 NW 62<sup>nd</sup> Avenue

PO BOX 1000

Johnston, IA 50131-1000

Deposited on Behalf of:

Pioneer Hi-Bred International, Inc.

Date of Receipt of Seeds by the ATCC:

June 4, 2002

Scientific Description

Depositor's Reference

**Patent Deposit Designation** 

Inbred corn (maize) seed, Source B1PNE11806-00 CLN

PH4GP : = T

PTA-4430

- The deposit of these seeds does not grant ATCC a license, either express or implied, to infringe the patent, and our release of these seeds to others does not grant them a license, either express or implied, to infringe the patent.
- If these seeds should die or be destroyed during the effective term of the patent, it shall be your responsibility to replace them with living seeds of the same type. It is also your responsibility to supply a sufficient quantity for distribution for the deposit term.

Prior to the issuance of a U.S. Patent, the ATCC agrees in consideration for a one-time service charge, not to distribute these seeds or any information relating thereto or to their deposit except as instructed by the depositor or relevant patent office. After a relevant patent issues, and we are instructed to release the seeds, they will be made available for distribution to the public without any restrictions.

The ATCC agrees to maintain the seeds for a period of 30 years from deposit date, or 5 years after the most recent request for a sample, whichever is longer.

We will inform you of requests for the seeds for 30 years from date of deposit.

The seeds were tested June 10, 2002 and were viable.

American Type Culture Collection

By Marie Harris, Patent Specialist

ATCC Patent Depository

Date: June 18, 2002